MEDICAL EQUIPMENT

INTERNATIONAL LTD.

Product	Model	Picture	Certificate	MOQ	Description
便捷式呼吸机 CWH-2010 Portable Ventilator	KTC-3121		ISO9001:13485	10	Application: Applied for child and adult. Used for respiratory depression, respiratory paralysis and failure of emergency rescue. Available in vehicle or portable stretcher. Drive: Gas driven Operating: Electronically controlled Ventilation mode: IPPV, SIMV, A/C, SIGH, MANUAL User manual: English (standard), Russian (optional) Net Weight: 3.5Kg Dimensions: 31 x 19 x 11.5cm (L x H x W).
单通道注射泵 (Stackable)Single Syringe Pump (Drug library&Infusion record)	KTC-810D		CE, ISO13485	10	1.With drug library,with 2000 records. 2.Freely Stackable: Users can freely stack one syringe pump onto another to provide multiple Solutions, which have a wide range of clinical applications. 3.Transfer the message between the Nurse-call System and the pumps. 4.Three working modes: rate mode, time-volume mode, dosage-weight mode. 5.Unique Human Voice Alarm system and accurate injection rate make the injection process safer and more reliable. 6.Have store many brands syringes,Automatically calibration and compatible with any brand syringes. 7.Large LCD screen displays working status. 8.KVO and Bolus functions.
双道注射泵 Double Syringe Pump	KTC-810T		CE, ISO13485	10	1.Three working modes: rate mode, time-volume mode, dosage-weight mode. 2.Unique Human Voice Alarm system and accurate injection rate make the injection process safer and more reliable. 3.Have store many brands syringes,Automatically calibration and compatible with any brand syringes. 4.Large LCD screen displays working status. 5.KVO and Bolus functions.
静脉输液泵 Infusion Pump	KTC-820		CE, ISO13485	10	1.Bubble detector and pressure sensor can precisely detect tube air bubbles 2.Unique Voice Alarm system and accurate injection rate make the injection process safer and more reliable. 3.HD LCD display working status. 4.Have store many brands IV sets,Automatically calibration and compatible with any brand infusion sets. 5.Work mode: ml/h and drop/min, and these two modes can switch freely. 6.KVO and Bolus functions.
Electric Suction Pump	KTC-100M-35B		CE, ISO	10	- Superior Interpretation function; - PC connectable by LAN and USB; - Extra long lasting silicon buttons; - 5.7" Foldable LCD for 12 + 1 waveform display; - Optional SD card for massive data storage; - Delightful operation experience; - Easy self upgrading; - Freezing/Review available; - Interpretation Result editable; - Paper: 210 x 140 x20mm fan-Fold G.W/N.W: 9KGS/6.8KGS Carton Dimension:36x32.5x8.6cm (L x H x W).
急救吸引器 Emergency Suction Pump	KTC-600C		CE, ISO	10	Applied to aspirate sputum and suction apparatus for patients in hospital and household, it is very to doctors and ambulance man using in a house call, ambulance and first aid center. AC/DC/Rechargeable battery, Meter show High vacuum, high flow, oil free and maintenance free with lubricative pump Antibacterial filter， Anti-overflow Protection Device， Lower noise, stepless vacuum adjustment， Multi-function Deployment Optional. G.W/N.W: 6.5KGS/4.9KGS Carton Dimension:49x30x41cm (L x H x W).
Defibrillator	KTC-2005P		CE, ISO	10	* Three-step defibrillation process * Two-button operation * Extensive voice and visual prompts for the operator * Biphasic energy output * Lock-out protection to prevent inadvertent defibrillation * Automatic Self-test: Daily battery condition test& Monthly AED whole inter system test

Shye International Ltd

除颤（双相波） Defibrillator/biphasic	KTC-8000A		CE	10	Non-synchronizer： outlife difibrillator Sine wave： Biphasic technology Energy：0，3，5，7，10，20,30，50,100,200,300,360joule Charging time ： at 360J less than 10 sec Paddle options ： reusable extermal adult paddles(pediatric paddles integrated) Battery：operates from the mains(AC)and with its intemal Lead-acid battery(Li-ion optional) Each one is packed individually in a carton Package size : 58×58× 27cm GW: 13.5Kg NW: 11Kg
Digital Single Channel ECG	ECG-101G		CE, ISO	10	- LCD for 3 waveforms display; - 2 Channel Printout; - Optional Interpretation function; - Veternary model available; - Paper Size : 50mm x 30m G.W/N.W: 5KGS/3KGS Carton Dimension:31x23x7cm (L x H x W)
Digital 3 Channel ECG	KTC-ECG300		CE, ISO	10	7 " TFT LCD; - 3+R, 6+R, 12+R waveforms display; - PC connectable by RS232; - Internal memory supporting 2000 patients data and waveforms store and recall; - Paper Size : 63mm x 30m G.W/N.W: 5KGS/3KGS Carton Dimension:28x21.6x6.6cm (L x H x W)
Digital 12 Channels ECG	ECG-1200		CE, ISO	10	- Interpretation function; - PC connectable by RS232;; - Multi languague user friendly interface; - Numberic Keyboard; - Large LCD for waveform display; - Paper Saving Mode; - Save more than 1000 patients data; - A4 size paper(ROLL); - Paper Size : 210mm x 30mm G.W/N.W: 9KGS/5.5KGS Carton Dimension:40x32.5x8.5cm (L x H x W).
Digital 12 Channels ECG	KTC-ECG1210		CE, ISO	10	Superior Interpretation function; - PC connectable by LAN and USB; - Extra long lasting silicon buttons; - 5.7" Foldable LCD for 12 + 1 waveform display; - Optional SD card for massive data storage; - Delightful operation experience; - Easy self upgrading; - Freezing/Review available; - Interpretation Result editable; - Paper: 210 x 140 x20mm fan-Fold G.W/N.W: 9KGS/6.8KGS Carton Dimension:36x32.5x8.6cm (L x H x W).
床边多参数监护仪 Ward Monitor_N2	KTC-N2		CE, ISO	10	Specialistic Patient Monitor for General Wards - 12.1 LCD Touch Screen - ST analysis with 13 ARR and 15 drug calculation - Slim and compact (12cm thickness) Gross weight:6.5kg SIZE:30(W)×41(H)×12(D)(with printer）
EMS Monitor	KTC-N3		CE, ISO	10	Specialistic EMS & Transportation Patient Monitor - Reinforced 8.4' LCD Touch Screen; - Masimo Set SpO2 and SunTech Advantage NIBP; - 8 second fast launch and 45 min. battery recharge time; - Electromagnetic resistant; - Water resistant and ruggedized case; - Rough weather, temperature and bumpy terrain tolerance; - Convenient accessory management compartment; SIZE:30(W)×27(H)×14.5(D) Gross weight:6kg
ICU/CCU Monitor	KTC-N4		CE, ISO	10	Specialistic Patient Monitor for Intensive/CriticalCare Units - 15" LCD Touch Screen; - High resistance to defibrallator and HF knife; - Unlimited Storage with SD cards; - Power-fail safeguard memory storage; Gross weight:7.5kg SIZE:350(W)×440(H)×120(D)mm(with printer)
Print Paper			CE	200	1 channel、3 Channel：200roll/box 6 channel、12channel：100book/box 12channel：50roll/box
心电图电极泡沫ECG Electrode Foam Back ,Solid gel	KTC-XDJ01		CE	200,000	Packaging: 50pcs/pouch 30pouches/ctn Delivery time: around 15-35days after getting N/G Weight: 2.1KG/ 3.2KG 20ft' container: 1340000pcs Carton Size: 40*36*28cm Key Features/Benefits:Material: Latex free, low chloride content minimizes skin irritation .These prices are not including artwork charges, if pouch and carton do not reach MOQ, artwork fees should be occurred. Maunfactured to approved specification i.e. FDA/CE/ISO13485/ISO9001

Shye International Ltd

心电图电极泡沫ECG Electrode Foam Back ,Solid gel	KTC-XDJ02		CE	200,000	Packaging:50pcs/pouch 30pouches/ctn Delivery time: around 15-35days after getting N/G Weight:2.13KG/ 3.35KG 20ft' container:1340000pcs Carton Size:40*36*28cm
心电图电极泡沫ECG Electrode Foam Back ,Solid gel	KTC-XDJ06		CE	200,000	Packaging: 50pcs/pouch 30pouches/ctn Delivery time: around 15-35days after getting deposit N/G Weight: 2.6KG/ 3.75KG 20ft' container: 1340000pcs Carton Size: 40*36*28cm
心电图电极泡沫ECG Electrode Foam Back ,Solid gel	KTC-XDJ03		CE	200,000	Packaging: 50pcs/pouch 30pouches/ctn Delivery time: around 15-35days after getting deposit N/G Weight: 2.55KG/ 3.58KG 20ft' container: 1340000pcs Carton Size: 40*36*28cm
心电图电极泡沫ECG Electrode Foam Back ,Solid gel	KTC-XDJ05		CE	200,000	Packaging: 50pcs/pouch 30pouches/ctn Delivery time: around 15-35days after getting deposit N/G Weight: 2.6KG/ 3.7KG 20ft' container: 1340000pcs Carton Size: 40*36*28cm
负极板Groundping Pad	KTC-FJB01		CE	50,000	Packaging:1pcs/pouch, 50pouhes/ctn,8ctns/box Delivery time:around 15-35days after getting deposit N/G Weight:6.84KG/12.2KG 20ft' container:202000 Carton Size:580*285*335
负极板Groundping Pad	KTC-FJB03		CE	50,000	Packaging: 1pcs/pouch, 50pouhes/ctn,8ctns/box Delivery time: around 15-35days after getting deposit N/G Weight: 6.84KG/12.2KG 20ft' container: 202000 Carton Size: 580*285*335
电刀笔Electrosurgical Pencil	KTC-DBD01		CE	50,000	Packaging: 1pcs/pouch, 25pouches/box,4boxes/ctn Delivery time: around 15-35days after getting deposit N/G Weight: 7.2KG/ 8.4KG 20ft' container: 234000pcs Carton Size: 460*230*270mm
Disposable spo2 sensor 一次性血氧探头	TB8001C		CE	50	Nellcor pediatric disposable spo2 sensor, 7Pin
Disposable spo3 sensor 一次性血氧探头	TA8001M		CE	50	Nellcor adult disposable spo2 sensor, 7Pin
Disposable spo4 sensor 一次性血氧探头	TE8001M		CE	50	Nellcor neonate disposable spo2 sensor, 7Pin
Disposable spo5 sensor 一次性血氧探头	TA8002M		CE	50	Nihon kohden adult disposable spo2 sensor, 7Pin
Disposable spo5 sensor 一次性血氧探头	TA8006C		CE	50	Nihon kohden adult disposable spo2 sensor, 7Pin
Reusable spo2 sensor and adapter cable-重复性血氧探头及转接线	TA2001		CE	50	Nellcor DS-100A adult spo2 sensor
Reusable spo2 sensor and adapter cable-重复性血氧探头及转接线	TP1050L		CE	50	Nihon Kohden spo2 sensor adapter cable
Disposable blood pressure cuff-一次性血压袖带	TP5010A1M		CE	50	Adult,11#, single tube
	TP5015A1M		CE	50	Neonate5#, single tube
Disposable blood pressure cuff-一次性血压袖带	TP5019A1M		CE	50	Neonate1#, single tube
	TP5011B1M		CE	50	Small Adult,10#, dual tube
	TP5017B1M		CE	50	Neonate3#, dual tube
Disposable blood pressure cuff-一次性血压袖带			CE	50	46*10.5 61*10.5
ECG & EKG cable and leadwires	TP3002E		CE	50	One-piece 3 leads ECG cable and leadwirds, Snap, Straight connector, IEC
	TP3078E		CE	50	Din, Straight connector, 3 leads truck cable, IEC
	TP3204F		CE	50	Din, clip, 5 leads wire, IEC

ECG & EKG cable and leadwires（心电和监护连线）	TP7001B		CE	50	Nihon kohden EKG leadwires 12-lead AHA,DIN
	TP7004A		CE	50	Marqutte One-piece 12-lead EKG AHA, Banana
壁式血压计 Arm-type Blood Pressure Monitor	KTC6022		CE	500	Measure method: Oscillometry Measure range:Blood pressure:0-300mmHg(0-40kpa) Pulse:40/min-200/min Memory:60sets(blood pressure,pulse rate,date,time) M1/M2,30sets each Accuracy:Blood pressure:±3mmHg(±0.4kpa) Pulse:±5% Pressurization:Intelligent automatic pressurization
壁式血压计 Arm-type Blood Pressure Monitor	KTC-103H		CE	1,000	Automatic Pressurization Jumbo LCD Display Irregular Heart Beat Detection 120 Memories in 4 Groups Last 3 Results Average WHO Blood Pressure Classification Indicator AC Adaptor Jack Low Battery Indicator Auto Shut Off
腕式血压计 Wrist Blood Pressure Monitor	BP6023		CE	500	Measure method:Oscillometry Measure range:Blood pressure:0-300mmHg(0-40kpa) Pulse:40/min-200/min Memory:60sets(blood pressure,pulse rate,date,time) M1/M2,30sets each Accuracy:Blood pressure:±3mmHg(±0.4kpa) Pulse:±5%
腕式血压计 Wrist Blood Pressure Monitor	KTC6003		CE	500	easure method:Oscillometry Display Type:LCD 35*45mm Memory:50 sets including blood pressure,pulse rate,date,time Method:Oscillometric Measure range:Pressure:0-300mmHg Pulse:40/min-200/min Accuracy:Blood pressure:±3mmHg Pulse:±5%
血压表 Euro-type Aneroid Sphgymomanometer	KTC2001		CE	500	Euro- type gauge, Measure scope: 0-300mmHg Accuracy: +/-3mmHg Sub-division: 2mmHg 023 Nylon cuff with D-ring, 48*14 or 51*14cm 053 Bladder, 22*12cm 069 Leatheroid bag
血压表 Palm-type Aneroid Sphygmomanometer	KTC2015		CE	500	Measure scope: 0-300mmHg Accuracy: +/-3mmHg Sub-division: 2mmHg Zinc alloy cover, chromeplated, Φ68mm 0661 Nylon cuff with D-ring, 49*14.5cm 053p.1 PVC Bladder with one tube 068 Nylon case 052w PVC bulb (worm type)
听诊器单听 Single Head Stethoscope	KTC3001		CE	500	Single head chestpiece Zinc alloy or Aluminium Color available: red, green, blue, black, silver Packed individually, 100pcs/CTN GW: 13KGS/CTN SIZE: 52*38.5*27.5cm/CTN
听诊器双听 Dual Head Stethoscope	KTC3002		CE	500	Dual head chestpiece, Aluminium Color available: red, green, blue, black, siver. Packed individually, 100pcs/CTN GW: 14KGS/CTN SIZE: 52*38.5*27.5cm/CTN
多功能听诊器 Sprague Rappaport Stethoscope	KTC3003		CE	500	Sprague Rappaport type, Zinc alloy Packed individually, 50pcs/CTN GW: 19KGS/CTN SIZE: 63*52.5*24.5cm/CTN
电子体温计Digital Thermometer	KTC-101MT		CE	5,000	Response Time: Around 1 minute Range: 32.0℃ - 42.9℃（90.0 ºF - 109.9 ºF ） Accuracy: ±0.1℃,35.5℃ - 42.0℃(±0.2ºF,95.9 ºF-107.6 ºF ）;±0.2℃ below 35.5℃ or over 42.0℃(±0.4 ºF below 95.9 ºF or over 107.6 ºF) Display: Liquid crystal display, 3 1/2 digits Last Reading Memory,Fever Alarm,Auto-Shutoff Battery: One 1.5 V button battery included Size: LR41,SR41 or UCC 392 ,replaceable Battery life: About 2 years for average using Dimension: 12.4cm x 1.8cm x 0.9cm (L x W x H) Weight: Approx. 10 grams including battery Packaging: 1 thermometer,1 case,1 English instruction and 1 giftbox

Shye International Ltd

婴儿耳温计Infrared Ear Thermometer	KTC-101A		CE	1,000	Response Time: 2 seconds Memory: 10 Memories Range: 32.0℃ - 43.0℃（89.6 ºF - 109.4ºF ） Accuracy: ±0.2℃,35.5℃ - 42.0℃(±0.4ºF,95.9 ºF-107.6 ºF)±0.3℃ for other range (±0.6 ºF for other range) Fever Alarm: if over 37.8℃ (100.4ºF) Display: Liquid crystal display, 3 1/2 digits Battery: one button battery included; Size: CR2032,replaceable Battery life: About 1 year for average using Auto-shut off: Within 1 minute Dimension: 10.6 cm x 3.3 cm x 4.5 cm (L x W x H) Weight: Approx. 40.0 grams including battery Packaging: 1 Thermometer,1 Holder,1 English instruction and 1 Giftbox and15 PCs probe cover
红外额温枪 Non-contact forehead thermometer	KTC8005		CE	500	Environment temperature: 10°C - 40°C Relative humidity:≤ 85% Power : DC3V (AA*2) Resolution：0.1°C(or 0.1°F) Body temperature: 32°C - 42°C(89.6°F - 107.6°F) Surface temperature:5.0°C - 80.0°C(41.0°F - 176.0°F) Measuring precision：±0.3°C, within measuring range 35.0°C-42.0°C and under environment temperature 10-40°C.
蓝牙腕式血氧仪 Bluetooth Wrist Pulse Oximeter	KTC2000		CE	50	Special Function: Bluetooth or USB Connection, data can be stored in computers or your iPhone/iPad devices for future reference (only suitable for storage type). Parameter: Spo2, Pulse Battery: 2 standard 1.5V AAA alkaline batteries Spo2 Range: 35-99% (Accuracy: ±2% at 70-99%) Pulse Rate: 30-255bpm (Accuracy:±2% at 30-255bpm)
掌式血氧仪 Palm Pulse Oximeter	KTC1000		CE	50	This Pulse Oximeter with alarm could be applied in the hospital's operation room, ICU, clinic section office, Out-patient department, sickroom and emergency treatment. It is suitable for Adult, Pediatric, Infant(Neonatal).
蓝牙手指式血氧仪Bluetooth pulse oximter	KTC1000C		CE	50	Integrated with SpO2 probe and processing display module,small in volume,light in weight and convenient in carrying,operation of the product is simple ,low power consumption, suitable for your Android devices.
彩精灵手指血氧仪Fingertip Pulse Oximeter Fairy	KTC-A3		CE, ISO	100	1、 Two Color OLED Display, six display modes, have big-font display, digital display and plethysmogram display. 2、 Change directions manually according to patient observe needs. 3、 Audible alarm function, Alarm lamp display and heart rate pulse synchronization； 4、 Low power consumption, 20 hours continuous to work. 5、 Adjustable alarm high limit and lower limit 6、 Low perfusion ≤0.4% 7、 Low voltage indicator. 8、 Automatic power off when no signals for 8s 9、 Small and light weight, convenient to carry.
手指血氧仪 Fingertip Pulse Oximeter Fairy	KTC-A5		CE, ISO	100	- Patented automatic 4-way screen orientation; - Low power consumption, 30+ continuous working hours; - Low Perfusion ≤0.4%； - Keyless design with automatic power on/off when detects no signal for 8 seconds; - Portable, Small and lightweight; - Real-time spot-checks. Display type: OLED two color display.
GlucoLeader HQS	KTC-XTY01		CE	500	1.Assay Method: Electrochemical biosensor.2.Test Sample: Capillary Whole Blood 3.Test Result: Referenced to plasma / serum glucose value . Sample Size: Less than 1 uL 4.Measuring Time: Less than 8 seconds 5.Measuring Range: 30 – 600 mg/dL (1.6 – 33.3 mmol/L) 6.Acceptable Hematocrit Range: 30~55% 7.Operating Temp.Range: 10℃~40℃(50℉~104℉) 8.Operating Relative Humidity: 20% - 80% RH . 9.Memory Capacity: 180 test results with time and date.10.Result setting: AC, PC, and qC setting PC funtion 11.Average Display: 1, 7, 14, 21, 28-days average 12.CODE STRIP: no need hand setting 12.Power Supply: One 3-volt Lithium Battery 13.Ejector:noeffection. 14BatteryLife:Approximately 1,000 tests . Automatic shut-off In 3 minutes

Shye International Ltd

GlucoLeader HQS strips			CE	500	GlucoLeader® HQS Blood Glucose Test Strips are biosensors only to be used with the GlucoLeader® HQS Blood Glucose Meter. This is designed to quantitatively measure the concentration of glucose in capillary whole blood by persons with diabetes or by healthcare professionals for monitoring glucose in the home or in healthcare facilities.
GlucoLeader Value strips			CE	500	GlucoLeader® Value Blood Glucose Test Strips are biosensors only to be used with the GlucoLeader® Value Blood Glucose Meter. This is designed to quantitatively measure the concentration of glucose in capillary whole blood by persons with diabetes or by healthcare professionals for monitoring glucose in the home or in healthcare facilities.
GlucoLeader Extra	KTC-XTY02		CE	500	Assay Method: Electrochemical biosensor Test Sample: Capillary Whole Blood Test Result: Referenced to plasma / serum glucose value Sample Size: Less than 1.5 uL Measuring Time: Less than 15 seconds Measuring Range: 30 – 600 mg/dL (1.6 – 33.3 mmol/L) Acceptable Hematocrit Range: 30~55% Operating Temp.Range: 10℃~40℃(50℉~104℉) Operating Relative Humidity: 20% - 80% RH Memory Capacity: 192 test results with time and date Power Supply: One 3-volt Lithium Battery Battery Life: Approximately 1,000 tests Automatic shut-off In 3 minutes no code setting
GlucoLeader Value	KTC-XTY03		CE	500	Assay Method: Electrochemical biosensor Test Sample For home use: capillary whole blood for adults Test Result: Plasma / Serum glucose Sample Size: Less than 1 uL Measuring Range: 20 - 600 mg/dL or 1.1 - 33.3 mmol/L Measuring Time: Less than 8 seconds Memory Capacity: 180 test results with time/date and blood type. Power Supply: One 3-volt Lithium Battery Battery Life: Approximately 1000 tests Operating Temp.: Range 10℃~40℃(50℉~104℉) Operating Relative Humidity: 20% - 80% RH Automatic shut-off In 3 minutes High or low value warning function Result setting: AC, PC, and qC setting code strip: no need hand setting Strips Ejection: no effection PC connection function
脊柱板 Spine Board	KTC-JZB006		CE, ISO	100	Features Strong load bearing, will not be broken even drop from 4 meters' height ;Inner is hollow,will not sink in water. With standard handholds,compatible with head immobilizer & cervical collar. Can be penetrated by X-Ray,MRI,CT well; Apply to the rescue in mountain,water,stair or narrow place. Product Details Material: HDPE Through out X-ray Product size: 183cm x 45-36 cm x 5.5cm Package size: 1875 x 470 x 60mm Package: 1 pc/carton N.W: 7.5kg G.W: 9.0kg Load bearing : 159KG Standard color: Orange With pins
Extrication Device	KTC-B2		CE, ISO	100	This Extrication Device is an improved means of immobilizing and extricating patients. Complete package includes wrap-around jacket, adjustable neck roll, and 2 forehead/chin straps. Design permits its use as a versatile splinting device for suspected rib fractures, hip fractures, or pelvic fractures. Chest flaps can be folded back for use of cardiac monitoring or defibrillation equipment. Features include presewn color-coded securing straps and three lifting handles. It may be X-rayed. It can also be adapted for use on small children and pregnant women. Spec: Material:strengthen oxford fabric & bamboo Product size: 85*95*57 cm Packing: 5 units/carton Packing size: 95x28x45 cm N.W:16.5 kg G.W:19.6 kg
CPR Board	KTC-015		CE, ISO	100	CPR board has great help on the first-aid and training, enabling the patient through out the rescue process, always keep the airway open the correct location, better for patients with cervical spine injuries, in the CPR process to avoid the airway open position to take the rise of the secondary damage caused by cervical spine. Compression plate by high-density polyethylene plastic, the surface of solid, one end of the concave to maintain the patient's head and heads off. Specification Material: PE Product size: 60*42*7.5 cm Package: 10 pcs/carton Packing size: 61*60*44.5cm N.W.: 13 KG G.W.: 14.6 KG

Shye International Ltd

颈托 Cervical Collar	KTC-JT001		CE, ISO	200	Structure of this Cervical Collar is succinct. It is very easy to operate; It can be adjusted optionally in 4 positions. Insuring you get the right size quickly; The design of spiracle behind of this item is convenient to diagnose and breathe freely; So big spiracle also can be used for supervising carotid; Proper lock immobilize Cervical Collar and insure it is symmetry, can be reuse. Specification Material: Special PE Package: 40 pcs/carton (10 pcs/box, 4 boxes/carton) Package size: 60*50*42cm N.W: 8.0 kg G.W: 9.8 kg
泡沫铝覆盖夹板aluminum foam covered splint	KTC-JB01		CE, ISO	500	X-ray penetration is possible for its light weight; Being good in formation, it can be used repeatedly; Initial state is soft,can be changed into different shae by hand;It can be wildly used in a large range of fields and it is free of limit to any environment and condition; It can be washed and cleaned easily; Meet OSHA safety standard,steady state,non-toxic,nonpungent order,can contact with skin directly,without damage to skin.The products are widely used in army, public health service, fire controlling works, birth planning works and are highly commented by customers.Technical parameter: Color :orange+grey,orange+blue Product size: 11*91.5cm Packing:126rolls/carton N.W: 19kg G.W: 21.5kg
头部固定器 HEAD IMMOBILIZER	KTC-TT001		CE, ISO	100	Light weight, easy to clean and simple to use. It contains 2 head blocks with ear cut,a universal sole plate and 2 durable head straps. Design of this head immobilizer makes it compatible with all our aluminum alloy stretchers and plastic spine boards. Features Designed and produced by our own company; Unique head strap is used to conform patient's forehead; Large ear holes for monitoring the patient's bleeding;Minimal interference with X-ray, MRI, or CT scan; Waterproof plastic coating makes it easy to prevent bacterial growth within components; Will not absorb blood or bodily fluids. Specification Material: foamed plastics, polyethylene coated Single package size: 43.5 x 27 x 14cm N.W: 0.65 KG G.W: 0.9 KG Standard color: Red Package: 16 pcs/carton Packing size: 88*57*56cm N.W: 10.4 KG G.W: 18.1 KG
spider strap	KTC-ZZD01		CE, ISO	100	spider strap is designed to provide full-body immobilization and can be use for spine board , spider strap is designed to provide full-body immobilization and can be well matched on spine board Polypropylene webbing with hook and loop closure
Metal strap	KTC-BD01		CE, ISO	100	Metal strap is designed to provide full-body immobilization and can be use for spine board , Metal strap is designed to provide full-body immobilization and can be well matched on spine board Polypropylene webbing with metal hook.
注射联系垫Injection practice pad (CE & FDA)	KTC-ZSD01		CE	100	Specifications 1.The injection pad is used for nurse to practice the injection. 2.The pad is made of silica gel, very soft. ♥ The injection pad is used for nurse to practice the injection. ♥ The pad is made of silica gel, so soft, feel like human's skin.♥ The elastic strap can print the custom logo.Elastic strap size: 45x2.5cm Pad size: 8.2x7.3cmPacking: 1 pcs / white box, 100 pcs / ctn, ctn size: 45x33x36cm, GW/NW: 12 /11 KG.
扣止血带Buckle Tourniquet	KTC-ZXK01		CE,FDA	100	1. Sizes: Length: 400mm±10mm width: 30mm±1mm2. Colors: red, blue, green, yellow, black and so on.3. Packing Details:each in a polybag, 25pcs per inner white box, 500pcs per export carton.Measurement: 54x24x32 CM, G. W.:13.8 KGS, 4. Customers' Logo can be printed on the buckle, band (strap) or on both.5. It is widely used for fastening the vein in blood collection. It is also applicable to vein puncture for other medical purposes.6. * It is not only the help of the nurses, but also the protector of the tripper7. CE & FDA Certification.8. Can reduce the cross contamination between the cause of disease at the time of clinical practice. Have two kinds of functions on the same buckle: Can control and strain and relax, the disengage able bandage.
Forearm Sling(CE FDA Approved)	KTC-BX01		CE	100	Medical Arm Slings Arm Slings are used for the persons whose arms are indisposed, help them to heal in a good condition. We have been exporting to Europe, America and Middle-east, and so on. 1) Sizes: S, M, L, XL.2) Colors: Blue Cotton and Net 3) Packing Details: each in a polybag, 100pcs per export carton.4) Measurement: 53x32x43cm, G.W: 9.0KGS, N.W: 8.0KGS

Shye International Ltd

Forearn Sling	KTC-BX02		CE	100	Arm Slings are used for the persons whose arms are indisposed, help them to heal in a good condition. We have been exporting to Europe, America and Middle-east, and so on.1) Sizes: S, M, L, XL.2) Colors: Blue Cotton and Net3) Packing Details: each in a polybag, 100pcs per export carton.4) Measurement: 53x32x43cm, G.W: 9.0KGS, N.W: 8.0KGS
OUTDOOR FIRST AID KIT	KTC-JJB002		CE	1,000	This first aid kit is designed for outdoor. It contains specific supplies you might need when you are not at home. Including a CPR shield and a survival blanket to keep the patient warm, this is an excellent present or promotional product.
TRAVEL FIRST AID KIT	KTC-JJB006		CE	1,000	This Travel First Aid Kit with belt loops perfect for outdoor activities, auto, backpack, antiseptics, wound care, and bandages.
PERSONAL FIRST AID KIT	KTC-JJB008		CE	1,000	The Idea for first aid of small injuries,it contains the most frequently used plaster and dressing material, suggested for private and travel,home and do-it-youself activities. Nylon carrying bag with multiple compartments and Black Nylon mesh zipper pockets
WOUND CARE FIRST AID KIT	KTC-JJB017		CE	1,000	Specially designed for home,office and car etc, contain essential first aid items in the high quality pp box,easy to carry,stock and with large space to contain all the items you need.
BASIC FIRST AID KIT	KTC-JJB046		CE	1,000	Keeping a home first aid kit is not only good for your family,but also good for you pets. You may cut your hands while in kitchen or your kids may fall down in the backyard. With a well-stock kit, you can easily deal with this small injuries without going to the hospital.
EVA AUTOMOBILE KIT	KTC-JJB094		CE	2,000	EVA Automobile Kit This is a premium EVA foam pouch with 43 first aid items. Having supplies gathered ahead of time, you are able to easily handle an emergency within a minimum time. The product is made of EVA material which is light but durable. This is a great kit to always keep along with you in your car, and it is also a good promotion item in some other events
TRAVEL FIRST AID KIT	KTC-JJB25		CE	5,000	This multi-color plastic first aid kit is specially designed for small medical treatment which might happen in the kitchen. For safety, it's more and more necessary to prepare a first aid kit for kitchen. You can also select an empty box, X2 Mini first aid box, to store small-size first aid supplies freely.
SMALL KANGAROO PERSONAL KIT	KTC-JJB31		CE	1,000	This multi-color plastic first aid kit is specially designed for small medical treatment which might happen in the kitchen. For safety, it's more and more necessary to prepare a first aid kit for kitchen. You can also select an empty box, X2 Mini first aid box, to store small-size first aid supplies freely.
FAMILY KANGAROO KIT	KTC-JJB35		CE	1,000	This Family Kangaroo Kit containing various first aid items. It is a great idea to have a such kit for family care or personal use.
MEDIUM HOME KANGAROO KIT	KTC-JJB51		CE	500	Kangaroo Medium Home First Aid Kit The unique design brings in top fashion to the first aid kit for family use. This well-prepared first aid kit guarantees the best medical service for your family and children. Transparent cover enables an easy access to multiple tools. Like a baby kangaroo in the pocket of an adult kangaroo, a small plaster kit with compact items for common use is placed in the front for your convenience. The bracket is special designed so that the entire kit can be easily hung on the wall or just stand steadily on the floor
急救包 First Aid Kit	KTC-JJB001		CE,FDA	1,000	
急救包 First Aid Kit	KTC-JJB002		CE,FDA	1,000	Quantity : 200pcs/carton Carton size : 62 X 40 X 40 CM Gross weight: 24KGS Net weight : 22KGS About 45000pcs per 20"container
急救包 First Aid Kit	KTC-JJB005		CE,FDA	1,000	Quantity:72 pcs /carton Carton size : 54X 48.5X 36.5 CM Gross weight: 17KGS Net weight : 15KGS Quantity:72 pcs /carton About19008pcs per 20"container
急救包 First Aid Kit	KTC-JJB064		CE,FDA	1,000	Quantity:30 pcs /carton Carton size :44×44×39.5cm Gross weight:12 KGS Net weight : 11 KGS

Shye International Ltd

口咽通气道Berman Disposable Oral Airway Kit	AK01		CE	500	Specifications.Soft LDPE material to pretect the tissue of mouth ， 100% latex free. OEM and ODM acceptable Berman Disposable Oral Airway Kit: 1.Anatomical shape designed to follow the curvature of the tongue and airway.2.Dual-side channel with holes to minimize the risk of airway occlusion.3.Suction tube can be be placed along the side channel of the Berman airway for insertion.4.Available in 10 lengths from 40mm to 110mm
Guedel Airway	AK02		CE	500	Specifications Bite block and tongue depressor, ensuring unobstructed ventilation .Guedel Airway : The oropharyngeal airway is used to create an air passage way between the mouth and the posterior pharyngeal wall. Useful when the tongue and/or epiglottis fall back against the posterior pharynx in anesthetized or unconscious patients obstructing the flow of air. Features:1. Latex free2. Atraumatic rounded tip3. With reinforcement insert be as bite block during surgery;4. Color coding for size identification;5. Guedel and berman type are available
鼻夹 NOSE CLIP	BJ01		CE	1,000	1000/箱子，46*36*30，,70kg/7.8kg
开口器Mouth opener	KKQ01		CE	500	Mouth opener (dental mouth opener, medical supplies, disposable mouth opener): It is used for opening patent's mouth in the urgent situation. The sufficient hardness of it can confront with the teeth of upper and lower jaw. It can help your open your mouth wider to avoid the stimulating drugs access on your lips. Material: PE 500个/箱49x28x24，9.4kg/10.2kg
CPR Training Mask in Hard Case CPR mask（WithoutPVC gloves oralcohol pad)	KTC6410		CE	2,000	The CPR mask is designed to provide protected rescue breathing for any patient and may also be used with a resuscitators.It helps protect rescuers in an emergency situation. Prevents direct contact with victim's mouth, nose and face and helps overcome hesitation to start resuscitation. Transparent dome allows rescuer to visually check for patient's lip colour and vomitus. Made of durable plastics for easy cleaning and long product life Made from latex free material private labelling available OEM and ODM acceptable Accessory(optional):PVC gloves, Alcohol pad 60个/箱44.5x41x32， 7.0kg/7.9kg.
PVC人工复苏器Disposable PVC Resuscitator	KTC6811		CE	240	For single patient use only.100% latex free. Color:blue CE Approved Disposable PVC Resuscitator Type: First-Aid Devices Specification:CP6331: For Infants and neonates.CP6321: For Children and infantsCP6311: For Adult and children Accessories:PVC mask X1, Oxygen tubing(PVC)X1, reservior bag(PVC) X1 12个/箱 57x33.5x46 9.4KG/10.6KG
成人型弹性体人工呼吸器SEBS resuscitator	KTC6211		CE	240	SEBS resuscitatorfor adult withaccessories:oxygen tubing 2M,reservior bag2000ml and PVCmask4 12个/箱 57x33.5x46 8.6KG/9.8KG 12个/箱 57x33.5x46 7KG/8.2KG 12个/箱 57x33.5x46 6.6KG/7.8KG
硅胶人工复苏器Silicone- Manual Resuscitators	KTC6111		CE	240	CE approved reusable manual resuscitator : 1.Silicone- Manual Resuscitators (reusable / autoclavable) 2.Can be folded to save space 3.Easy to cleanItem number of ambu bag CP6111: Adult of ambu bag for Adults and children.CP6121: Pediatric of ambu bag for Children and infantsCP6131: Infant of ambu bag for infants and neonates Accessories:Oxygen tubing:Silicone mask Reservior bag Mouth opener Airway 12个/箱 57x33.5x46 9.5kg/10.7kg
全不锈钢灯泡喉镜片 Stainless steel laryngoscope blade	KTC-HJ1		CE	100	特点： 1. 喉镜片采用一体化设计，使用更安全，永不会出现镜钩断裂现象。 2. 更经济：可以随意更换喉镜片上的任意配件，既可使原来的镜片光亮如新。 3. 采用无焊接工艺，使镜片更环保，更美观。 4. 独立包装的可抛弃型镜片可以避免由口腔内的细菌病毒引发的交叉感染 5. 低廉的价格盈取更大的医疗市场。 6. 多种规格型号可供选择。
经济性光纤喉镜片fiber optical laryngoscope	KTC-HJ2		CE	100	特点： 1. 喉镜片采用一体化设计，使用更安全，永不会出现镜钩断裂现象。 2. 与众不同的光纤，使照度比同类产品提高40%。 3. 独立包装的可抛弃型镜片可以避免由口腔内的细菌病毒引发的交叉感染。 4. 低廉的价格盈取更大的医疗市场。 5. 多种规格型号可供选择。
成人拉长版氧气面罩Oxygen mask adult elongated			CE,TUV	5,000	Made from non-toxic PVC -Adjustable nose clip assures comfortable fit - Adult and Pediatric sized available - Color: transparent or green
成人氧气面罩Oxygen mask Adult			CE,TUV	5,000	
儿童氧气面罩Oxygen mask Child			CE,TUV	5,000	
婴儿氧气面罩Oxygen mask Infant			CE,TUV	5,000	
成人加长喷雾面罩6ml nebulizer mask adult elongated			CE,TUV	5,000	

Shye International Ltd

6ML成人喷雾面罩6ml nebulizer mask adult			CE,TUV	5,000	210cm safety tube -6MLcapacity anti-spill jar to prevent leakage -Kink-resistant -Elastic strap fixation -Non-sterile -Latex-free
6ML儿童喷雾面罩6ml nebulizer mask child			CE,TUV	5,000	
6ML婴儿喷雾面罩6ml nebulizer mask Infant			CE,TUV	5,000	
16ML成人加长喷雾面罩16ml nebulizer mask adult elongated			CE,TUV	5,000	210cm safety tube -16MLcapacity anti-spill jar to prevent leakage -Kink-resistant -Elastic strap fixation -Non-sterile -Latex-free
16ml成人喷雾面罩16ml nebulizer mask adult			CE,TUV	5,000	
16ml儿童喷雾面罩16ml nebulizer mask child			CE,TUV	5,000	
16ml儿童喷雾面罩16ml nebulizer mask Infant			CE,TUV	5,000	
非重复吸入成人加长面罩Non-rebreathing mask adult elongated(XL)			CE,TUV	5,000	Low-resistance check valve does not contain natural rubber latex, Prevents rebreathing and allows exhaled gas to escape -Safety vent allows for entrainment of room air - Adjustable nose clip assures comfortable fit - Complete with 7-ft oxygen supply tubing
Non-rebreathing mask adult(L)			CE,TUV	5,000	
Non-rebreathing mask Child(M)			CE,TUV	5,000	
Non-rebreathing mask InfantS)			CE,TUV	5,000	
6颜色氧气口鼻面罩组6 colors venturi mask adult elongated			CE,TUV	5,000	Safe, simple delivery of variable oxygen concentrations -Features 6 color-coded diluters: 24%, 28%, 31%, 35%, 40% and 50% -Includes adaptor for high-humidity entrainment -Complete with 7-ft oxygen supply tubing
6 colors venturi mask adult			CE,TUV	5,000	
6 colors venturi mask child			CE,TUV	5,000	
6 colors venturi mask Infant			CE,TUV	5,000	
2颜色口鼻面罩组2 colors venturi mask adult elongated			CE,TUV	5,000	Made from soft PVC. -Convenience to adjust the consistency of the oxygen. -Includes adaptor for high-humidity entrainment -Adjustable 24%, 26%, 28%, 30%, 35%,40% and 50% -7ft Oxygen supply tubing can be configured
2 colors venturi mask adult			CE,TUV	5,000	
2 colors venturi mask child			CE,TUV	5,000	
2 colors venturi mask Infant			CE,TUV	5,000	
成人加长鼻套管Nasal cannula adult elongated			CE,TUV	10,000	provide flexibility and a more customized fit for patients -Soft tubing to increase patient comfort -provides crush-proof and kink-proof tubing for continuous flow
Nasal cannula adult			CE,TUV	10,000	
Nasal cannula child			CE,TUV	10,000	
Nasal cannula Infant			CE,TUV	10,000	
6ml喷雾器，三通管，氧气管，波纹管 6ml nebulizer,T piece,oxygen tube,corrugated tube			CE,TUV	5,000	Works at 90° angles -6 ml capacity jar -Easy to clean
16ml nebulizer,T piece,oxygen tube,corrugated tube			CE,TUV	5,000	Works at 90° angles -15 ml capacity jar -Easy to clean
160ml间隔哮喘吸入器160ml asthma spacer with adult mask			CE,TUV	1,000	Optimizes the delivery of MDI asthma medication. --Compatible with most MDI (metered dose inhaler) actuators. --Helps target medicine to your lungs. --Helps keep you from spraying drug on the back of your throat. -With different sizes of mask for pediatric,child,adult use
160ml asthma spacer with child mask			CE,TUV	1,000	
160ml asthma spacer with Infant mask			CE,TUV	1,000	
最大流量计Peak flow meter adult			CE,TUV	1,000	Test area 0-800, compact and easy to use for adult/child/adolescent patient population -Durable, sliding zone indicators encourage patient compliance -Colorful integrated markers allow patients to easily monitor changes in air flow -Ergonomically designed plastic housing and tempered stainless steel vane are dishwasher safe -Reusable plastic mouthpiece attaches to unit for secure storage
Peak flow meter child			CE,TUV	1,000	
Peak flow meter			CE,TUV	1,000	Test area 0-850, compact and easy to use for adult/child patient population -Durable Plastic -Reusable plastic mouthpiece attaches to unit for secure storage
C.P.R mask with plastic box			CE,TUV	1,000	Latex free -Prevents direct contact during artificial respiration. -Transparent dome allows rescuer to visually check for patient's lip colour and vomitus. - Made of durable plastics for easy cleaning and long product life

Shye International Ltd

加湿器瓶Humidifier bottle 500ml			CE,TUV	1,000	Disposable, durable plastic with preset audible alarm at 4 psi pressure relief -Unique diffuser designed to provide patient with comfortable, therapeutic humidity and minimal noise -500 mL usable volume -Defined maximum and minimum water level lines -Recessed nipple reduces possibility of breaking off outlet connection
3 球 呼 吸 试 验 器 3 Balls breath exerciser			CE,TUV	1,000	Wide flow rate range from 600 to 1200 cc/sec -3 color-coded balls/3 chambers -Minimum flow imprinted on each chamber
气切罩Tracheostomy mask adult			CE,TUV	1,000	Soft, clear vinyl mask features a tubing connector for tracheostomy and laryngectomy aerosol therapy. Connector accepts tubing and swivels 360 degrees for maximum versatility. -Adjustable elastic head strap ensures a comfortable fit.
氧袋面罩 non rebreathing mask	Adult Elongated, XL		CE,TUV	5,000	Transparent, Clear, Soft vinyl for patient comfort and visual assessment. Adaptor swivels to accommodate patient position. Adjustable nose clip assures comfortable fit. 10000ml & 600ml reservoir bag. Complete with 7-ft, oxygen supply tubing.
鼻氧管 nasal oxygen cannula	Adult, Pediatric, Infant		CE,TUV	5,000	Nasal Cannual-standard tip Flexible, contoured lip tab provides a high level of stability and patient comfort. Over-the-ear design provides comfortable and secure fit Offered with standard or universal connector and standard or crush-proof stat lumen tubing in a variety of lengths Available with double holes & single hole
杨克 yankauer handle	Crown tip w/o vent (blister pouch) 大头无孔(纸塑单包)		CE	5,000 (neutral packing)/ 20,000 (custom print)	Made of K-resin Available with suction connection tube Size : Crown tip, with control cent Crown tip, without control cent Standard tip, with control cent Standard tip, without control vent Product Specification Available with yankauer handle. Color: Light blue Quantity:250pcs/ctn
连接管 suction connection tube	3/16", 1.8m		CE	5,000 (neutral packing)/ 20,000 (custom print)	Quantity:50pcs/ctn MOQ:5000(neutral packing)/20000(custom print) SIZE: 45*28*20cm G/N.W：4.7/3.9kg
	1/4", 3.6m		CE		SIZE:52*32*26cm G/N.W：5.0/4.0kg
麻醉面罩 （气囊型）Anesflex Mask	0#-Pre Neonate		CE	2,000	Non-toxic, non-ordor, high strength. Contoured cushion creates a gentle seal with the patient's face. Available in 7 sizes to accommodate a full range of patients. All sizes include an inflation port providing a customized fit and comfort. 22mm color-coded retaining rings are removable for hand-held procedures. Anesflex mask can be connected with the anesthesia, breathing machine, oxygen breathing machine, high pressure chamber, imbibe-way painless childbearing machine as well as the rescue respiration bag. Suitable for use of anesthesia, respiratory and resuscitator.
	1# - Neonate				
	2#-Infant				
	3#-Child		CE	3,000	
	4#-Small Adult				
	5#-Medium Adult				
	6#-Large Adult				
一次性使用气管插管pvc有囊钢丝加强型			CE	100	无囊插述 Uncuffed 透明、柔软、光滑； Transparent, soft and smooth. X光造影线贯穿管身； Radio opaque line through the length for x-ray visualization. 囊插述 Cuff 高容量低压力气囊； 高容量气囊较呼吸道密封更加良好； 透明、柔软、光滑； X光造影线贯穿管身； 带猫眼孔。 High Volume Low Pressure Cuff. High Volume cuff positive tracheal wall seal. Transparent, soft and smooth. Radio opaque line through the length for x-ray Available with Murphy eye only.
一次性使用双腔支气管插管左侧型及其附件			CE	100	主要用于气管、两肺等麻醉手术； Used in the OPS of bronchus, thoracic surgery and so on. 有左侧、右侧两种型号； Available with two types product for thoracic surgery. 左支气管插管； Left-sided Endobronchial Tube. 右支气管插管。 Right-sided Endobronchial Tube.
一次性使用喉罩气管导管双腔喉罩			CE	100	双腔型说明 Two Way 与普通喉罩相比有更好的封闭性，与食道相连接能有效排出胃液和补充营养； The LMA is connected to esophagus for draining gastric juice and supplying nutrition effectively and the sealing property is better than general LMA. 设计更有助于固定喉罩位置，使其更有PPV正压通气。 The design is helpful in fixing the LMA position and good for PPV positive pressure Ventilation.

Shye International Ltd

一次性使用喉罩单腔气管导管 Laryngeal Mask			CE	100	
一次性使用输注泵Disposable infusion pump	KTC-801		CE	1,020	Nominal capacity:100ml(main product)150ml,200ml,275ml Nominal Flow rate:1ml/h,2ml/h,3ml/h,4ml/h,5ml/h Type：BOT-801(CBI)、BOT-802(CBI+PCA) Capacity：100ml/150ml/200ml/275ml Flow Rate: 1ml/h, 2ml/h, 3ml/h, 4ml/h, 5ml/h PCA Bolus: 0.5ml/15mins Application：used for continuous analgesia with PCA
	KTC-802		CE	1,020	
加强型气管插管(有囊) reinforced tracheal tube			CE	5,000	Application：used for the patients who is required to establish patency and rapid access to breathe in surgery of clinical anesthesia, first aid and resuscitation. Features： 1.This disposable product consists of reinforced endotracheal tube ,cuff, inflating tube and adapter, The reinforced tracheal tube is made from medical-grade PVC which is smooth, flexible and transparent. 2.The tube is reinforced by Spiral-wound wire in order to reduce the risk of kinking. 3.In endotracheal intubation, filled with gas, the cuff will be soft, smooth, and closely clung to the wall of trachea for immobility of the tracheal tube.
加强型气管插管(无囊) reinforced tracheal tube			CE	5,000	
气管导管喉罩 Laryngeal Mask Airway	BOT-5		CE	3,000	Size:1#, 1.5#,2#, 2.5#, 3#, 4#, 5#Material: medical-grade 100% silicone Application：used for the patients who is required to establish patency and rapid access to breathe in surgery of clinical anesthesia, first aid and resuscitation. Features： 1. Compared with tracheal intubation, laryngeal has less irritant and respiration tract block, which is more acceptable for patients. Laryngoscope and Atracurium Besilate and other aids are unnecessary during operation. There is less irritant when laryngeal airway mask is drawn or inserted,so the possibility of throat sore is small after operation. 2. The operating method is easy so it is simple for beginner to handle the intubations after some practice. 3. The new-type mask can be easily inserted without any aid only when the patient lie naturally. 4. Full sizes and types are available for people at different ages
呼吸过滤器 Disposable Breathing system filter	BOT-111		CE	5,000	Application：used for continuous analgesia Features： 1.Adopting advanced flow control technique with stable flow. 2.With silicone capsule which can automatically exhaust gas inside, to avoid complicated work. 3.With unilateral value design inside the drug injection passage for easy injection and handling as well as preventing counter current and nosocomial infection. 4.Adopting microporous film filter of double layer with accuracy 3μm which can simultaneously keep out of air, impurity and bacteria 5.Adopting special PVC tube made of high-grade cement carbide compact without dissolution to cause carcinogenicity. 6.With smart and portable human design. Type：BOT-801(CBI)、BOT-802(CBI+PCA) Volume：100、150、200、275ml Flow Rate：1、2、3、4、5ml/h
透析粉Dialysate Powder			CE	1	▲ Specification: ◆ Confected by refined pure medical,applicable for various Clinical Machine Models. ◆ Besides the above five types,our company can confect the dialysate powder as order. ◆ The diluent rate and mixing rate of dialysate for Gambro and Baxter Machine Model is the same but the formular is different,if you didn't readjust them,pls don't misuse their blood dialysis agent power. ◆ Ca++ concentration:According to the status of domestic patients,the Ca++ concentrati on is 1.5mMOI per L (or 3.0mEq/L) for different types of products.If the customer has special request,we can customize to make the low Ca++ dialysis agent powder for users. ◆ Packing specification:for one person's dosage and for eight persons's dosage.

Shye International Ltd

血袋450ML Blood Bag			CE	10,000	Features: 1) Anticoagulants: CPDA-1; SAGM 2) Single, double, triple, quadruple 100ml-500ml Blood bag is used for collection of whole blood with anticoagulant CPDA-1 or CPD+SAGM solutions USP. 16 G sharp pointed Japanese needle that is siliconised with ultra-thin walled . Excellent break-off needle cover make the needle couldn't be reused anymore. Provided with standard donor tubing with code number on the tube surface. Options available :1.Blood bag types available : CPDA / CPDA II / CPD / SAGM /2.With safety needle shield 3.With 30 ml Sampling bag and Vacuum Blood Collection Tube Holder Package: Every set packed in a PET compounded vacuum bag, every two or five sets packed in an aluminum foil compounded bag.3. The sampling device, needle protector, platelet storage bag and leukocyte filter are available. But the above price is not including these components.
低通血液透析器 Low Flux Hemodialyzer	LST120&140&160&180		CE	1,000	适用于急慢性肾功能衰竭患者进行血液透析。
高通血液透析器 High Flux Hemodialyzer	LSHT120&140&160&180		CE	1,000	适用于急慢性肾功能衰竭患者进行血液透析。
机用采血器 disposable arterial venous fistula needle set			CE	1,000	1. Medical grade materials displaying good biocompatibility. 2. Siliconized needle for smoother, more comfortable penetration. 3. Back-Eye designed for providing better blood flow. 4. Color coded wing for easier identification of different gauges. 5. Fixed and rotating wing both available for easy operation.6. OEM service available.7. CCC and CE certificated.Packing: 500 sets/carton
体外循环血路hemodialysis blood tubing set			CE	1,000	1. Medical grade materials displaying good biocompatibility. 2. Fluid pathway is smooth inside, no clotting and air bubbles. 3. Tubes are flexible, kink-resistant. 4. Pump segment has excellent anti-fatigue performance. It can guarantee constant flow rate for 50 hours. 5. Luer-lock connectors according to international standard. 6. Individual and customized services provided (produce acc. to customer's drawing or requirement)7. Various series, good applicability.8. CCC and CE certificated. 9. OEM serviceavailable.Packing:24sets/carton
血液透析管路Hemodailysis blood tube/line			CE	5,000	1,Our Blood Lines For Hemodialysis got the ISO & FDA approval 2,50% products are for Eur,Midest and Africa markets Blood Lines For Hemodialysis 1.Qipped with different dialysis machinery. 2.Machine Attached:Fresenius 2008 and 4008. 3.Machine Attached:Gambro AK90 and AK100. 4.The inside wall of tube molded by professional extrusion molder is smooth enough to reduce blood resistance and lathering. 5.Imported grade PVC has no sitmulate to body,and flexible tube guarantee the blood drain. 6.Equip blood sampling vent with protective wing so that to reduce the risk of sharps injuries. 7.Different specifications made by different material can be manufactured depending on your need.
AV fistula needle 内瘘针	16G&17G		CE	100,000	Quantity:1000pcs/ctn Packing:PE&Blister SIZE:78*38*44
输液器 Disposable Infusion Sets	BV2 22G*1		CE	100,000	Quantity:600pcs/ctn Packing:PE（283/20GP,685/40HQ） SIZE:68*39*38cm
	V6 21G*1-1/4		CE	100,000	Quantity:500pcs/ctn Packing:PE（288/20GP,705/40HQ） SIZE:66*39*38cm
	V7 21G*1-1/2		CE	100,000	Quantity:500pcs/ctn Packing:PE（288/20GP,705/40HQ） SIZE:66*39*38cm
蝴蝶针 Scalp vein set	25G-19G*3/4, Lure slip		CE	150,000	Quantity:4000pcs/ctn Packing:PE Artwork printing charge:PE Package:300RMB/color ; Blister package:500rmb/color .
			CE		Quantity:2000pcs/ctn Packing:Blister
	25G-19G*3/4, Lure lock		CE	150,000	Quantity:4000pcs/ctn Packing:PE Artwork printing charge:PE Package:300RMB/color ;Blister package:500rmb/color .
			CE		Quantity:2000pcs/ctn Packing:Blister
输血器 Blood transfusion sets	QV6-2 18G*11/2"		CE	50,000	Quantity:400pcs/ctn Packing:PE OEM service is availabale plate charge:PE Package:50dollar/color for each spec

Shye International Ltd

注射器 Disposable Syringes	Lure slip --PE package （three parts）		CE	150,000	1ML with needle-- Quantity:3000pcs/ctn SIZE:66*37*39cm PE package (252/20GP,648/40HQ)
			CE	150,000	2ML-3ML withneedle-- Quantity:2400pcs/ctn SIZE:66*37*39cm PE package (258/20GP,620/40HQ)
			CE	120,000	5ML with needle-- Quantity:1600pcs/ctn SIZE:66*37*39cm PE package (288/20GP,720/40HQ)
			CE	120,000	10ML withneedle-- Quantity:1200pcs/ctn SIZE:66*38*39cm PE package (280/20GP,600/40HQ)
			CE	100,000	20ML with needle-- Quantity:800pcs/ctn SIZE:66*35.5*46cm PE package (252/20GP,630/40HQ)
			CE	60,000	30ML withneedle-- Quantity:480pcs/ctn SIZE:66*38*39cm PE package (257/20GP,840/40HQ)
			CE	60,000	50ML withneedle-- Quantity:480pcs/ctn SIZE:66*38*39cm PE package (257/20GP,840/40HQ)
	Lure slip --Blister Package （three parts）		CE	150,000	1ML with needle-- Quantity:3000pcs/ctn SIZE:65*37*41cm Blister Package (252/20GP,648/40HQ)
			CE		2ML-3ML withneedle-- Quantity:2400pcs/ctn SIZE:66*38*46cm Blister Package (258/20GP,620/40HQ)
			CE	120,000	5ML with needle-- Quantity:1600pcs/ctn SIZE:59*37*44cm Blister Package (288/20GP,720/40HQ)
			CE		10ML withneedle-- Quantity:1200pcs/ctn SIZE:58*40*43.5cm Blister Package (280/20GP,600/40HQ)
			CE	100,000	20ML with needle-- Quantity:800pcs/ctn SIZE:65*36.4*46cm Blister Package (252/20GP,630/40HQ)
			CE	60,000	30ML withneedle-- Quantity:360pcs/ctn SIZE:60*32.8*39cm Blister Package (257/20GP,840/40HQ)
			CE	40,000	50ML withneedle-- Quantity:240pcs/ctn SIZE:63*26*57cm Blister Package (300/20GP,704/40HQ)
	Lure lock--PE Package （three parts）		CE	150,000	2ML-3ML with needle-- Quantity:2400pcs/ctn SIZE:66*37*39cm PE package (258/20GP,620/40HQ)
			CE	120,000	5ML with needle--- Quantity:1600pcs/ctn SIZE:66*37*39cm PE package (288/20GP,720/40HQ)
			CE		10ML with needle--- Quantity:1200pcs/ctn SIZE:66*38*39cm PE package (280/20GP,600/40HQ)
			CE	100,000	20ML with needle-- Quantity:800pcs/ctn SIZE:66*35.5*46cm PE package (252/20GP,630/40HQ)
			CE	60,000	30ML with needle-- Quantity:480pcs/ctn SIZE:66*38*39cm PE package (357/20GP,840/40HQ)
			CE	40,000	50ML with needle--- Quantity:320pcs/ctn SIZE:66*38*39cm PE package (300/20GP,704/40HQ)
	Lure lock--Blister Package （three parts）		CE	150,000	2ML-3ML with needle-- Quantity:2400pcs/ctn SIZE:66*38*46cm Blister Package (258/20GP,620/40HQ)
			CE	120,000	5ML with needle--- Quantity:1600pcs/ctn SIZE:59*37*44cm Blister Package (288/20GP,720/40HQ)
			CE	120,000	10ML with needle--- Quantity:1200pcs/ctn SIZE:58*40*43.5cm Blister Package (280/20GP,600/40HQ)
			CE	100,000	20ML with needle-- Quantity:800pcs/ctn SIZE:66*36.4*46cm Blister Package (252/20GP,630/40HQ)
			CE	60,000	30ML with needle-- Quantity:360pcs/ctn SIZE:60*32.8*39cm Blister Package (357/20GP,840/40HQ)
			CE	40,000	50ML with needle--- Quantity:240pcs/ctn SIZE:63*26*57cm Blister Package (300/20GP,704/40HQ)
针头 hypodermic needle	27G-20G		CE	300,000	Quantity:10000pcs/ctn SIZE:55*40.2*45cm Blister Package (280/20GP,690/40HQ)
	19G-18G		CE		
自毁式 Auto-disable syringe	Package--PE		CE	150,000	0.5ML with needle---Quantity:3000pcs/ctn SIZE:65*37*41cm
			CE		1ML with needle---Quantity:2400pcs/ctn SIZE:64.5*57*43cm
			CE	120,000	2-3ML with needle--Quantity:1200pcs/ctn SIZE:66*42*44.5cm
			CE		5ML with needle---Quantity:1200pcs/ctn SIZE:64*48.5*50cm
	Package--Blister		CE	150,000	0.5ML with needle---Quantity:3000pcs/ctn SIZE:65*37*41cm
			CE		1ML with needle---Quantity:2400pcs/ctn SIZE:64.5*57*43cm
			CE	120,000	2-3ML with needle--Quantity:1600pcs/ctn SIZE:66*42*44.5cm
			CE		5ML with needle---Quantity:1200pcs/ctn SIZE:64*48.5*50cm
disposable insulin syringes	Package--PE		CE	150,000	0.5ML 30G-29G*1/2, 100pcs/bag, 300bags/carton, Carton Size:66*36*37cm
			CE		1ML 30G-29G*1/2, 100pcs/bag, 300bags/carton, Carton Size:66*36*37cm,
			CE		1ML 28G*1/2,100pcs/bag, 300bags/carton, Carton Size:66*36*37cm
			CE		1ML27G*1/2,100pcs/bag, 300bags/carton, Carton Size:66*36*37cm
disposable insulin syringes	Package--Blister		CE	150,000	0.5ML 30G-29G*1/2, 100pcs/bag, 300bags/carton, Carton Size:64.5*32*44cm,
			CE		1ML 30G-29G*1/2, 100pcs/bag, 300bags/carton, Carton Size:64.5*32*44cm,
			CE		1ML 28G*1/2,100pcs/bag, 300bags/carton, Carton Size:64.5*32*44cm,
			CE		1ML27G*1/2,100pcs/bag, 300bags/carton, Carton Size:64.5*32*44cm,

Shye International Ltd

Sharp Container	KTC-F5A		CE	3,000	Collection of syringes, infusion needles and other disposable items. Collection of small glass medical products, various types of blades, scalp, sharp needle and suture needles. Vice-up the entire collection of blood, blood transfusion, etc. contact the blood of medical equipment. Sharps boxes must be placed in other provisions of the medical sharps and other sharp dangerous goods. Product Size:24.5*20*16.5cm Capacity: 5L
Sharp Container	KTC-F10		CE	3,000	Collection of syringes, infusion needles and other disposable items. Collection of small glass medical products, various types of blades, scalp, sharp needle and suture needles. Vice-up the entire collection of blood, blood transfusion, etc. contact the blood of medical equipment. Sharps boxes must be placed in other provisions of the medical sharps and other sharp dangerous goods. Product Size:30*20*26cm Capacity: 10L
Feeding Tube 喂食管	F4-F8		CE	50,000	1. Made of non-toxic PVC ,medical grade 2. Sterilized by EO GAS 3. OEM service offered 5. Frosted and transparent surface 6. Atraumatic rounded closed tip 7. Radiopaque line(X-ray visualization) available 8. Size: FR4-FR22 PE Bag 2000pcs/Carton Blister Bag 1600pcs/Carton Carton Size: 44*42*36cm GW/NW: 8/6KGS
Stomach Tube 胃管	F12 F14 F16 F18 F22		CE CE CE CE CE	50,000	1.Made of non-toxic PVC ,medical grade 2.Sterilized by EO GAS 3.OEM service offered 5.Frosted and transparent surface 6.Atraumatic rounded closed tip 7.Radiopaque line(X-ray visualization) available 8.size:FR6-FR24 Carton Size: 44*42*36cm
Suction Catheter 吸痰管	F8 F12 F14 F16 F18		CE CE CE	50,000	1.Made of non-toxic PVC ,medical grade 2.Sterilized by EO GAS 3.OEM service offered 5.Frosted and transparent surface 6.Atraumatic rounded closed tip 7.Radiopaque line(X-ray visualization) available 8.Size: FR4-FR22 Carton Size: 55*29*38cm GW/NW: 6/5KGS
Nelaton Catheter 导尿管	F12 F16 F20 F24		CE CE CE	50,000	1. Made of non-toxic PVC ,medical grade 2. Frosted surface or Transparent 3. Sterilized by EO GAS 4. Radiopaque line (X-ray visualization) available 6. Frosted and transparent surface 7. Atraumatic rounded closed tip 8. size:FR6-FR22 Carton Size: 55*29*38cm GW/NW: 6/5KGS
Rectal Catheter 肛门管	F18 F22 F24 F28	 Rectal tube	CE CE CE	50,000	1. Made of non-toxic PVC,medical grade 2. OEM Service Offered 3. Sterilized by EO GAS 5. Frosted and transparent surface 6. Atraumatic rounded closed tip 7. Radiopaque line(X-ray visualization) available 8. Size:FR6-FR22 Carton Size: 55*29*38cm GW/NW: 6/5KGS
Drainage Bag 尿袋	without bottom outlet with push-pull valve with screw valve with T-valve	 Drainage bag(Urine bag)	CE CE CE CE	30,000	1) Material : medical grade school PVC 2) For single use , mainly use for liquid-leading and urine collection after operation 3) thickness:1.2mm 4) medical PVC tube:Ø0.65x90cm 5) Milky or transparent 6) Supplied in individual paper polybag or PE sterile 7) Volume2000ml/1000ml/1500ml 8) Type :bottom with T valve/push-pull valve/screw valve/without valve(single tube) QTY: 250/Carton Carton Size: 52*39*34cm GW/NW: 11/10KGS
Paediatric Urine Collector 婴儿尿袋	100ml 200ml	 Paediatric urine collector	CE CE	30,000	1. Made of non-toxic PVC ,adhesive paper and sponge ,medical grade 3. use for Pediatric liquid-leading and urine collection 4. the adhesive sticks well to the skin. 5. Capacity:200ml/100ml QTY: 2500/Carton Carton Size 100ml/200ml: 53*29*43/53*29*48cm GW 100ml/200ml: 6/7KGS NW 100ml/200ml: 5/6KGS
I.d.bracelets (i.d.band)in hospital 识别带 手写带	Adult	 I.d.bracelets (i.d.band)in hospital	CE	30,000	1.Made of non-toxic PVC, medical grade 2.Sterilized by EO GAS 4.Soft, frosted and kink resistant PVC tubing 5.Clear transparent container permits visual examination of aspirate QTY: 5000/Carton Carton Size: 52*45*22cm GW/NW: 10/9KGS

Shye International Ltd

Umbilical Cord Clamp 脐带夹	Blue/White		CE	30,000	1 .Disposable umbilical cord clamps are shaped up after injection molding by plastic special tablet material. 2. It adopt the medical materials which won't have bad effect on children such as reaction or sensitization after strictly inspection. 3. Umbilical Cord Clamps mainly used in clipping umbilical when woman is having baby. 4. Made of non-toxic PE or PP, medical grade 5. Sterilized by EO GAS QTY: 2500/Carton Carton Size: 53*29*43cm GW/NW: 9/8KGS